




CLICK ON BOOKMARKS FOR INDEX OF THIS SECTION

STAINLESS STEEL

18-8 HEX HEAD CAP SCREWS

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



1/4-20 DIAMETER		
J&B #	SIZE	QTY
24676	1/4-20 x 1/2	100
24719	1/4-20 x 5/8	100
24677	1/4-20 x 3/4	100
24678	1/4-20 x 1	100
24679	1/4-20 x 1-1/4	100
24680	1/4-20 x 1-1/2	100
24681	1/4-20 x 1-3/4	100
24682	1/4-20 x 2	100
24683	1/4-20 x 2-1/2	50
24684	1/4-20 x 3	50

5/16-18 DIAMETER		
J&B #	SIZE	QTY
24685	5/16-18 x 1/2	100
24686	5/16-18 x 3/4	100
24687	5/16-18 x 1	100
24688	5/16-18 x 1-1/4	100
24689	5/16-18 x 1-1/2	100
24690	5/16-18 x 1-3/4	100
24691	5/16-18 x 2	50
24692	5/16-18 x 2-1/2	50
24693	5/16-18 x 3	50

3/8-16 DIAMETER		
J&B #	SIZE	QTY
24694	3/8-16 x 3/4	100
24695	3/8-16 x 1	100
24696	3/8-16 x 1-1/4	100
24697	3/8-16 x 1-1/2	100
24698	3/8-16 x 1-3/4	50
24699	3/8-16 x 2	50
24700	3/8-16 x 2-1/4	50
24701	3/8-16 x 2-1/2	50
32252	3/8-16 x 2-3/4	50
24702	3/8-16 x 3	50

7/16-14 DIAMETER		
J&B #	SIZE	QTY
32253	7-16-14 x 2	25

1/2-13 DIAMETER		
J&B #	SIZE	QTY
24703	1/2-13 x 1	50
24704	1/2-13 x 1-1/4	50
24705	1/2-13 x 1-1/2	50
24706	1/2-13 x 1-3/4	50
24707	1/2-13 x 2	50
24708	1/2-13 x 2-1/4	25
24709	1/2-13 x 2-1/2	25
24710	1/2-13 x 3	25

5/8-11 DIAMETER		
J&B #	SIZE	QTY
24711	5/8-11 x 1-1/4	25
24712	5/8-11 x 1-1/2	25
24713	5/8-11 x 1-3/4	25
24714	5/8-11 x 2	25
24715	5/8-11 x 2-1/4	25
24716	5/8-11 x 2-1/2	25
24717	5/8-11 x 3	25


3/4-10 DIAMETER		
J&B #	SIZE	QTY
24718	3/4-10 x 2	20
32254	3/4-10 x 2-1/2	20
32255	3/4-10 x 3	20
32262	3/4-10 x 3-1/2	10
32263	3/4-10 x 4	10



STAINLESS STEEL

18-8 SOCKET HEAD CAP SCREWS

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



4-40 DIAMETER		
J&B #	SIZE	QTY
38530	4-40 x 1/4	100
38531	4-40 x 3/8	100
38532	4-40 x 1/2	100

6-32 DIAMETER		
J&B #	SIZE	QTY
38536	6-32 x 1/4	100
38537	6-32 x 3/8	100
38538	6-32 x 1/2	100
38539	6-32 x 3/4	100
38540	6-32 x 1	100

8-32 DIAMETER		
J&B #	SIZE	QTY
38542	8-32 x 1/4	100
38543	8-32 x 3/8	100
38544	8-32 x 1/2	100
38545	8-32 x 5/8	100
38546	8-32 x 3/4	100
38547	8-32 x 1	100
38548	8-32 x 1-1/4	100


10-24 DIAMETER		
J&B #	SIZE	QTY
38550	10-24 x 3/8	100
38551	10-24 x 1/2	100
38552	10-24 x 5/8	100
38553	10-24 x 3/4	100
38554	10-24 x 1	100
38555	10-24 x 1-1/4	100
38556	10-24 x 1-1/2	100
38558	10-24 x 2	100

10-32 DIAMETER		
J&B #	SIZE	QTY
38560	10-32 x 3/8	100
38561	10-32 x 1/2	100
38562	10-32 x 5/8	100
38563	10-32 x 3/4	100
38564	10-32 x 1	100
38565	10-32 x 1-1/4	100
38566	10-32 x 1-1/2	100
38568	10-32 x 2	100

STAINLESS STEEL

18-8 SOCKET HEAD CAP SCREWS

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



1/4-20 DIAMETER		
J&B #	SIZE	QTY
38570	1/4-20 x 1/2	100
38571	1/4-20 x 5/8	100
38572	1/4-20 x 3/4	100
38573	1/4-20 x 1	100
38574	1/4-20 x 1-1/4	100
38575	1/4-20 x 1-1/2	100
38577	1/4-20 x 2	100

5/16-18 DIAMETER		
J&B #	SIZE	QTY
38582	5/16-18 x 1/2	100
38584	5/16-18 x 3/4	100
38585	5/16-18 x 1	100
38586	5/16-18 x 1-1/4	100
38587	5/16-18 x 1-1/2	100
38589	5/16-18 x 2	100


3/8-16 DIAMETER		
J&B #	SIZE	QTY
38592	3/8-16 x 1/2	100
38594	3/8-16 x 3/4	100
38595	3/8-16 x 1	100
38596	3/8-16 x 1-1/4	100
38597	3/8-16 x 1-1/2	100
38599	3/8-16 x 2	50

STAINLESS STEEL

18-8 SOCKET SET SCREWS

Cup Point

- 75,000 PSI minimum and non-magnetic.
- Good resistance to heat, cold and corrosion.
- Cold rolled precision threads provide high strength.



6-32 DIAMETER		
J&B #	SIZE	QTY
55840	6-32 x 1/4	100
55841	6-32 x 3/8	100

8-32 DIAMETER		
J&B #	SIZE	QTY
55843	8-32 x 1/4	100
55844	8-32 x 3/8	100
55845	8-32 x 1/2	100

10-24 DIAMETER		
J&B #	SIZE	QTY
55847	10-24 x 1/4	100
55848	10-24 x 3/8	100
55849	10-24 x 1/2	100

10-32 DIAMETER		
J&B #	SIZE	QTY
55865	10-32 x 1/4	100
55866	10-32 x 3/8	100
55867	10-32 x 1/2	100

1/4-20 DIAMETER		
J&B #	SIZE	QTY
55852	1/4-20 x 1/4	100
55853	1/4-20 x 3/8	100
55854	1/4-20 x 1/2	100

5/16-18 DIAMETER		
J&B #	SIZE	QTY
55857	5/16-18 x 3/8	100
55858	5/16-18 x 1/2	100


3/8-16 DIAMETER		
J&B #	SIZE	QTY
55862	3/8-16 x 3/8	100
55863	3/8-16 x 1/2	100

STAINLESS STEEL

18-8 MACHINE SCREWS

Phillips Pan Head

- Deep twist-resistant slots eliminate screw driver slippage.
- Resists: salt, water and corrosion.
- Higher tensile and shear strengths.



6-32 DIAMETER		
J&B #	SIZE	QTY
24720	6-32 x 3/8	100
24636	6-32 x 1/2	100
24637	6-32 x 3/4	100
24638	6-32 x 1	100
24639	6-32 x 1-1/2	100
24640	6-32 x 2	100


8-32 DIAMETER		
J&B #	SIZE	QTY
24721	8-32 x 3/8	100
24641	8-32 x 1/2	100
24642	8-32 x 3/4	100
24643	8-32 x 1	100
24644	8-32 x 1-1/2	100
24645	8-32 x 2	100

10-24 DIAMETER		
J&B #	SIZE	QTY
24722	10-24 x 3/8	100
24646	10-24 x 1/2	100
24647	10-24 x 3/4	100
24648	10-24 x 1	100
24649	10-24 x 1-1/2	100
24650	10-24 x 2	100

10-32 DIAMETER		
J&B #	SIZE	QTY
24723	10-32 x 3/8	100
24651	10-32 x 1/2	100
24652	10-32 x 3/4	100
24653	10-32 x 1	100
24654	10-32 x 1-1/2	100
24655	10-32 x 2	100

TRUSS HEAD

1/4-20 DIAMETER		
J&B #	SIZE	QTY
24724	1/4-20 x 3/8	100
24656	1/4-20 x 1/2	100
24657	1/4-20 x 3/4	100
24658	1/4-20 x 1	100
24659	1/4-20 x 1-1/2	100
24660	1/4-20 x 2	100




8-32 DIAMETER		
J&B #	SIZE	QTY
41968	8-32 x 1/2	100

STAINLESS STEEL

18-8 SHEET METAL SCREWS

Slotted Hex Washer Head

- Sharp hardened threads with sharp lead points.
- Resists: salt, water, corrosion.
- Non-magnetic with high abrasion resistance.



# 6 DIAMETER		
J&B #	SIZE	QTY
38773	6 x 3/4	100
38774	6 x 1	100


# 8 DIAMETER		
J&B #	SIZE	QTY
38776	8 x 1/2	100
38777	8 x 3/4	100
38778	8 x 1	100
38779	8 x 1-1/4	100
38780	8 x 1-1/2	50

# 10 DIAMETER		
J&B #	SIZE	QTY
38782	10 x 1/2	100
38783	10 x 3/4	100
38784	10 x 1	100
38785	10 x 1-1/4	50
38786	10 x 1-1/2	50

# 12 DIAMETER		
J&B #	SIZE	QTY
38789	12 x 3/4	100
38790	12 x 1	100
38791	12 x 1-1/4	50
38792	12 x 1-1/2	50

S/S TEKS HEX WASHER HEAD

# 14 DIAMETER		
J&B #	SIZE	QTY
38794	14 x 1/2	100
38795	14 x 3/4	100
38796	14 x 1	50
38797	14 x 1-1/4	50
38798	14 x 1-1/2	50




1/4-14 DIAMETER			
J&B #	SIZE	SOCK	QTY
45575	1/4-14 x 1-1/2	3/8	50

STAINLESS STEEL

18-8 SHEET METAL SCREWS

Phillips Pan Head

- Sharp hardened threads with sharp lead point.
- Resists: salt, water, corrosion.
- Non-magnetic with high abrasion resistance.



# 6 DIAMETER		
J&B #	SIZE	QTY
24661	6 x 1/2	100
24662	6 x 3/4	100
24663	6 x 1	100

#8 DIAMETER		
J&B #	SIZE	QTY
24664	8 x 1/2	100
24665	8 x 3/4	100
24666	8 x 1	100
32264	8 x 1-1/4	100
32265	8 x 1-1/2	100

#10 DIAMETER		
J&B #	SIZE	QTY
24667	10 x 1/2	100
24668	10 x 3/4	100
24669	10 x 1	100
32256	10 x 1-1/4	100
32257	10 x 1-1/2	100
32258	10 x 2	100


#12 DIAMETER		
J&B #	SIZE	QTY
24670	12 x 1/2	100
24671	12 x 3/4	100
24672	12 x 1	100
32259	12 x 1-1/2	100
32260	12 x 2	100

#14 DIAMETER		
J&B #	SIZE	QTY
24673	14 x 1/2	100
24674	14 x 3/4	100
24675	14 x 1	100
32261	14 x 1-1/2	100

STAINLESS STEEL

18-8 HEX NUTS


- Resists: salt, water, corrosion and is non-magnetic.
- General purpose nut; standard height and hex dimensions.



J&B #	SIZE	QTY
24600	6/32	100
24601	8/32	100
24602	10/24	100
24603	10/32	100
24604	1/4-20	100
55800	1/4-28	100
24605	5/16-18	100
55801	5/16-24	100
24606	3/8-16	100
55802	3/8-24	50
24607	7/16-14	50
55803	7/16-20	50
24608	1/2-13	50
55804	1/2-20	50
24609	5/8-11	25
24610	3/4-10	25

18-8 NYLON INSERT LOCK NUTS

- Resists: salt, water, corrosion and is non-magnetic.
- Fully re-usable; vibration and shock-proof.



J&B #	SIZE	QTY
40225	6/32	100
40226	8/32	100
40227	10/24	100
40228	10/32	100
40230	1/4-20	100
40231	5/16-18	100
40232	3/8-16	100
40234	1/2-13	50

STAINLESS STEEL

18-8 SAE FLAT WASHERS

- Resists: salt, water, corrosion and is non-magnetic.
- Perfectly round; burr-free.



J&B #	SIZE	QTY
24613	# 6	200
24614	# 8	200
24615	#10	200
24616	1/4	100
24617	5/16	100
24618	3/8	100
24619	7/16	100
24620	1/2	100
24621	5/8	50
24622	3/4	25

HELICAL SPRING LOCK WASHERS

- Resists: salt, water, corrosion and is non-magnetic.
- Add strength and insure against equipment breakdown; non-linking, positive locking.




J&B #	SIZE	QTY
24625	# 6	200
24626	# 8	200
24627	#10	200
24628	1/4	100
24629	5/16	100
24630	3/8	100
24631	7/16	100
24632	1/2	100
24633	5/8	50
24634	3/4	50

STAINLESS STEEL

FENDER WASHERS

18-8

- Specifically designed for application where a larger bearing is required.
- Smooth surface; free from burrs.
- **Uniform** thickness.




J&B #	I. D.	O. D.	QTY
45525	3/16	1	100
45528	1/4	1-1/4	100
45529	1/4	1-1/2	100
45524	5/16	1	100
45530	5/16	1-1/4	100
45531	5/16	1-1/2	100
45532	3/8	1-1/2	50

BRASS

HEX HEAD CAP SCREWS

- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.
- Brass is normally softer than carbon steel and stainless steel.



1/4-20 DIAMETER		
J&B #	SIZE	QTY
32310	1/4-20 x 1	50

5/16-18 DIAMETER		
J&B #	SIZE	QTY
32311	5/16-18 x 1	50
32312	5/16-18 x 1-1/2	50


3/8-16 DIAMETER		
J&B #	SIZE	QTY
32313	3/8-16 x 1	50
32314	3/8-16 x 1-1/2	50
32315	3/8-16 x 1-3/4	50
32316	3/8-16 x 2	50

1/2-13 DIAMETER		
J&B #	SIZE	QTY
32317	1/2-13 x 1	25
32318	1/2-13 x 1-1/2	25
32319	1/2-13 x 2	25
32320	1/2-13 x 3-1/2	25
32321	1/2-13 x 4-1/2	25
32322	1/2-13 x 5	25

BRASS

SLOTTED ROUND HEAD MACHINE SCREWS

- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.
- Deep twist-resistant slots; threads are feather-free.



6-32 DIAMETER		
J&B #	SIZE	QTY
32266	6-32 x 1/4	100
32267	6-32 x 3/8	100
32268	6-32 x 1/2	100
32269	6-32 x 3/4	100
32270	6-32 x 1	100

8-32 DIAMETER		
J&B #	SIZE	QTY
32271	8-32 x 1/2	100
32272	8-32 x 3/4	100
32273	8-32 x 1	100


1/4-20 DIAMETER		
J&B #	SIZE	QTY
32278	1/4-20 x 3/8	100
32279	1/4-20 x 1/2	100
32280	1/4-20 x 3/4	100
32281	1/4-20 x 1	100

10-24 DIAMETER		
J&B #	SIZE	QTY
25150	10-24 x 1/2	100
25151	10-24 x 3/4	100
25152	10-24 x 1	100

10-32 DIAMETER		
J&B #	SIZE	QTY
32323	10-32 x 1/4	100
32274	10-32 x 1/2	100
32275	10-32 x 3/4	100
32276	10-32 x 1	100
32277	10-32 x 1-1/4	100

SLOTTED FLAT HEAD MACHINE SCREWS


J&B #	SIZE	QTY
38456	10-24 x 3/4	100
38457	1/4-20 x 1	100
32282	5/16-18 x 3/4	100
32283	3/8-16 x 1-1/4	100
32284	3/8-16 x 1-1/2	100



BRASS

HEX NUTS


- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.



J&B #	SIZE	QTY
32285	6-32	100
32286	8-32	100
32287	10-24	100
32288	10-32	100
32289	1/4-20	100
32296	1/4-28	100
32290	5/16-18	100
32297	5/16-24	100
32291	3/8-16	50
32298	3/8-24	50
10801	7/16-14	25
10793	7/16-20	25
32292	1/2-13	50
10795	1/2-20	25
32293	5/8-11	25

HEAVY HEX NUTS

- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.



J&B #	SIZE	QTY
32294	3/8-16	50
32295	1/2-13	50



BRASS

FLAT WASHERS

- Non-magnetic material has good corrosion resistance, especially in salt water and salt atmospheres.



J&B #	SIZE	QTY
32299	# 6	100
32300	# 8	100
32301	#10	100
32302	1/4	100
32303	5/16	100
32304	3/8	100
32305	1/2	50

HELICAL SPRING LOCK WASHERS

Silicone Bronze

- Non-magnetic; will not corrode and is harder than brass.
- Contains 96% to 98% copper and has high resistance to extreme temperature, atmospheric conditions, water, gas, and sewage. Non-magnetic.



J&B #	SIZE	QTY
32306	1/4	100
32307	5/16	100
32308	3/8	100
32309	1/2	100